

Laravel

Basic to Advance
(E-commerce Project)

Daftar Isi

Download Project	2
Membuat Halaman Dinamis	2
Membuat Shoppingcart	11
Langkah – langkah membuat shoppingcart.....	12
Membuat Update dan Remove Cart.....	27
Membuat Auth Login	29
Checkout Save to Database	32
Membuat Dashboard user	40
Membuat Invoices	45
Membuat upload konfirmasi pembayaran	49




TOKO ONLINE MENGUNAKAN LARAVEL

23 NOVEMBER 2018

Download Project

Sebelum membuat sebuah project e-commerce dengan laravel, anda diwajibkan untuk mendownload bahan-bahan mentahnya yang perlu diperlukan terlebih dahulu. Bahan tersebut bisa anda download pada tab **referensi** materi ini dengan nama file **Bahan Materi**.

Membuat Halaman Dinamis



Gambar 1 Halaman Home Project

Anda akan diminta untuk merubah halaman awal project anda menjadi bentuk halaman dinamis. Langkah yang harus dilakukan adalah sebagai berikut :



- a. Buatlah sebuah model baru dengan perintah command prompt *php artisan make:model Product -m*. Lakukanlah perintah tersebut dengan membuka command prompt anda dan pada posisi didalam folder nama project yang anda buat.
- b. Jika sudah, bukalah file migration yang ada pada folder database->migration file tersebut. Contoh nama file pada babastudio adalah *2018_11_09_160319_create_products_table*
- c. Tambahkan sebuah script seperti dibawah ini

```
public function up()
{
    Schema::create('products', function (Blueprint $table) {
        $table->increments('prdid');
        $table->string('prdname');
        $table->integer('prdccatid');
        $table->string('prdsizes');
        $table->string('prdprice');
        $table->string('prddesc');
        $table->string('prdstock');
        $table->string('prdthumb');
        $table->timestamps();
    });
}
```

- d. Kemudian buka file model anda bernama Product yang ada pada folder App\ lalu tambahkan beberapa script menjadi seperti ini :

```
<?php
namespace App;
use Illuminate\Database\Eloquent\Model;
class Product extends Model
{
    //
    protected
        $fillable=['prdname','prdslug','prdccatid','idcatdetails','prdsizes','prdprice','prddesc','prdstock','prdthumb'];
}
```

- e. Langkah selanjutnya adalah dengan membuka file TokoController yang ada pada folder App\Http\Controller dan tambahkan script berikut ini pada function index



- ```
@extends('shop.app')
@section('title')
Jual Beli Murah se-Indonesia
@endsection
@section('content')
<div class="container">
 <div class="row">
 <div class="col-md-9">
 <div class="well well-lg offer-box text-center">
 Today's Offer : 40 % off on purchase of
$ 2,000 and above till 24 dec !
 </div>
 <div class="main box-border">
 <div id="mi-slider" class="mi-slider">

 <h4>Boots</h4>

 <h4>Oxfords</h4>

 <h4>Loafers</h4>

 <h4>Sneakers</h4>

 </div>
 </div>
 </div>
 </div>
</div>
```

```


 <h4>Belts</h4>

 <h4>Hats & Caps</h4>

 <h4>Sunglasses</h4>

 <h4>Scarves</h4>

 <h4>Casual</h4>

 <h4>Luxury</h4>

 <h4>Sport</h4>

 <h4>Carry-Ons</h4>

 <h4>Duffel Bags</h4>

 <h4>Laptop Bags</h4>

 <h4>Briefcases</h4>

<nav>
Shoes
Accessories
Watches
Bags
</nav>
</div>
</div>

</div>
<!-- /.col -->
<div class="col-md-3 text-center">
<div class="col-md-12 col-sm-6 col-xs-6">
<div class="offer-text">
30% off here
</div>
<div class="thumbnail product-box">

<div class="caption">
<h3>Samsung Galaxy </h3>
<p>Ptional dismiss button </p>
</div>
</div>
</div>
</div>
<div class="col-md-12 col-sm-6 col-xs-6">

```



```

<div class="offer-text2">
 30% off here
</div>
<div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Ptional dismiss button </p>
 </div>
</div>
</div>
</div>
<!-- /.col -->
</div>
<!-- /.row -->
<div class="row">
 <!-- kategori -->
 <div class="col-md-3">
 <div>
 Electronics

 <ul class="list-group">
 <li class="list-group-item">Mobile
 234

 <li class="list-group-item">Computers
 34

 <li class="list-group-item">Tablets
 4

 <li class="list-group-item">Appliances
 434

 <li class="list-group-item">Games & Entertainment
 34

 </div>
 <!-- /.div -->
 <div>
 Fashion

 <ul class="list-group">
 <li class="list-group-item">Men's Clothing
 300

 <li class="list-group-item">Women's Clothing
 340

 <li class="list-group-item">Kid's Wear
 735

 </div>
 <!-- /.div -->
 <div>
 Accessories & Extras

 <ul class="list-group">
 <li class="list-group-item">Mobile Accessories

```



```

 456

 <li class="list-group-item">Men's Accessories
 156

 <li class="list-group-item">Women's Accessories
 400

 <li class="list-group-item">Kid's Accessories
 89

 <li class="list-group-item">Home Products
 90

 <li class="list-group-item">Kitchen Products
 567

</div>
<!-- /.div -->
<div>
 <ul class="list-group">
 <li class="list-group-item list-group-item-success">New Offer's Coming
 <li class="list-group-item list-group-item-info">New Products Added
 <li class="list-group-item list-group-item-warning">Ending Soon Offers
 <li class="list-group-item list-group-item-danger">Just Ended Offers


</div>
<!-- /.div -->
<div class="well well-lg offer-box offer-colors">

 25 % off , GRAB IT

 <div class="progress progress-striped">
 <div class="progress-bar progress-bar-danger" role="progressbar" aria-valuenow="70" aria-
valuemin="0" aria-valuemax="100"
 style="width: 70%">
 70% Complete (success)
 2hr 35 mins left
 </div>
 </div>
 click here to know more
</div>
<!-- /.div -->
</div>
<!-- end kategori -->
<!-- /.col -->
<div class="col-md-9">
 <div>
 <ol class="breadcrumb">
 Home
 <li class="active">Electronics

 </div>
 <!-- /.div -->
 <div class="row">
 <div class="btn-group alg-right-pad">
 <button type="button" class="btn btn-default">1235 items</button>
 <div class="btn-group">
 <button type="button" class="btn btn-danger dropdown-toggle" data-toggle="dropdown">

```





```

 Sort Products

 </button>
 <ul class="dropdown-menu">
 By Price Low
 <li class="divider">
 By Price High
 <li class="divider">
 By Popularity
 <li class="divider">
 By Reviews

</div>
</div>
</div>
<div class="row">
 @foreach($product as $item)
 <div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>{{$item->prdname}}</h3>
 <p>Price : Rp. {{$item->prdprice}} </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>
 <form method="post" action="{{ url('cart') }}">
 {{ csrf_field() }}
 <input type="hidden" name="id" value="{{$item->id}}">
 <input type="hidden" name="name" value="{{$item->prdname}}">
 <input type="hidden" name="price" value="{{$item->prdprice}}">
 <input type="hidden" name="prdthumb" value="{{$item->prdthumb}}">
 <input type="submit" class="btn btn-success" name="" value="Add To Cart">
 </form>
 prdslug])}}" class="btn btn-primary" role="button">See
Details
 </p>
 </div>
 </div>
 </div>
 @endforeach
<!-- /.col -->
</div>
<div>
 <ol class="breadcrumb">
 Produk Terpopuler

</div>
<!-- /.div -->
<div class="row">
 <div class="btn-group alg-right-pad">
 <button type="button" class="btn btn-default">3005 items</button>
 <div class="btn-group">
 <button type="button" class="btn btn-primary dropdown-toggle" data-toggle="dropdown">
 Sort Products

 </button>
 <ul class="dropdown-menu">
 By Price Low
 <li class="divider">
 By Price High
 <li class="divider">
 By Popularity

 </div>
 </div>

```



```

 <li class="divider">
 By Reviews

</div>
</div>
</div>
<!-- /.row -->
<div class="row">
 <div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>
 Add To Cart
 See Details
 </p>
 </div>
 </div>
 </div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart <a href="#" class="btn
btn-primary" role="button">See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart <a href="#" class="btn
btn-primary" role="button">See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
</div>
<!-- /.row -->
<div class="row">
 <ul class="pagination alg-right-pad">
 «
 1
 2
 3
 4
 5
 »


```



```



 </div>
 <!-- /.row -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</div>
<!-- /.container -->
<div class="col-md-12 download-app-box text-center">

 Download Our Android App and Get 10%
 additional Off on all Products . DOWNLOAD NOW

</div>
@endsection


```

- h. Silahkan refresh halaman utama website project anda dan lihat hasilnya apakah sama seperti ini



## Membuat Shoppingcart

Sebagai library nya yang akan digunakan disini adalah gloudemans/shoppingcart. Anda bisa mendownloadnya langsung di website [www.packagist.org/packages/gloudemans/shoppingcart](http://www.packagist.org/packages/gloudemans/shoppingcart) .



Gambar 2 Official Website Packagist

Alasan mengapa menggunakan library ini adalah didalamnya sudah mencakup beberapa fungsi umum yang ada pada sistem shoppingcart mulai dari addtocart sampai dengan checkout.



Dalam project ini, sudah babastudio settingkan library gloudemans ini dengan project yang anda download, jadi anda tidak perlu lagi repot-repot untuk mensettingnya.





```


 <h4>Loafers</h4>

 <h4>Sneakers</h4>

 <h4>Belts</h4>

 <h4>Hats &
Caps</h4>

 <h4>Sunglasses</h4>

 <h4>Scarves</h4>

 <h4>Casual</h4>

 <h4>Luxury</h4>

 <h4>Sport</h4>

 <h4>Carry-Ons</h4>

 <h4>Duffel Bags</h4>

 <h4>Laptop
Bags</h4>

 <h4>Briefcases</h4>

 <nav>
 Shoes
 Accessories
 Watches
 Bags
 </nav>
</div>
</div>

```



```


 </div>
 <!-- /.col -->
 <div class="col-md-3 text-center">
 <div class="col-md-12 col-sm-6 col-xs-6" >
 <div class="offer-text">
 30% off here
 </div>
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Ptional dismiss button </p>
 </div>
 </div>
 </div>
 </div>
 <div class="col-md-12 col-sm-6 col-xs-6">
 <div class="offer-text2">
 30% off here
 </div>
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Ptional dismiss button </p>
 </div>
 </div>
 </div>
 <!-- /.col -->
</div>
<!-- /.row -->
<div class="row">
 <!-- kategori -->
 <div class="col-md-3">
 <div>
 Electronics

 <ul class="list-group">
 <li class="list-group-item">Mobile
 234

 <li class="list-group-item">Computers
 34

 <li class="list-group-item">Tablets
 4

 <li class="list-group-item">Appliances
 434

 <li class="list-group-item">Games & Entertainment
 34

 </div>
 <!-- /.div -->

```



```

<div>
 Fashion

 <ul class="list-group">

 <li class="list-group-item">Men's Clothing
 300

 <li class="list-group-item">Women's Clothing
 340

 <li class="list-group-item">Kid's Wear
 735

</div>
<!-- /.div -->
<div>
 Accessories & Extras

 <ul class="list-group">
 <li class="list-group-item">Mobile Accessories
 456

 <li class="list-group-item">Men's Accessories
 156

 <li class="list-group-item">Women's Accessories
 400

 <li class="list-group-item">Kid's Accessories
 89

 <li class="list-group-item">Home Products
 90


 <li class="list-group-item">Kitchen Products
 567

</div>
<!-- /.div -->
<div>
 <ul class="list-group">
 <li class="list-group-item list-group-item-success">New Offer's Coming

 <li class="list-group-item list-group-item-info">New Products
Added
 <li class="list-group-item list-group-item-warning">Ending Soon
Offers
 <li class="list-group-item list-group-item-danger">Just Ended
Offers

</div>
<!-- /.div -->
<div class="well well-lg offer-box offer-colors">

```





```

25 % off , GRAB IT

<div class="progress progress-striped">
 <div class="progress-bar progress-bar-danger" role="progressbar" aria-valuenow="70"
aria-valuemin="0" aria-valuemax="100"
 style="width: 70%">
 70% Complete (success)
 2hr 35 mins left
 </div>
</div>
click here to know more
</div>
<!-- /.div -->
</div>
<!-- end kategori -->
<!-- /.col -->
<div class="col-md-9">
 <div>
 <ol class="breadcrumb">
 Home
 <li class="active">Electronics

 </div>
 <!-- /.div -->
 <div class="row">
 <div class="btn-group alg-right-pad">
 <button type="button" class="btn btn-default">1235 items</button>
 <div class="btn-group">
 <button type="button" class="btn btn-danger dropdown-toggle" data-
toggle="dropdown">
 Sort Products

 </button>
 <ul class="dropdown-menu">
 By Price Low
 <li class="divider">
 By Price High
 <li class="divider">
 By Popularity
 <li class="divider">
 By Reviews

 </div>
 </div>
 </div>
 <div class="row">
 @foreach($product as $item)
 <div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>{{$item->prdname}}</h3>
 <p>Price : Rp. {{ $item->prdprice}} </p>

```



```

<p>Ptional dismiss button </p>
<p>Ptional dismiss button in tional dismiss button in </p>
<p>
 <form method="post" action="{{ url('cart') }}">
 {{ csrf_field() }}
 <input type="hidden" name="id" value="{{ $item->id }}">
 <input type="hidden" name="name" value="{{ $item->prdname }}">
 <input type="hidden" name="price" value="{{ $item->prdprice }}">
 <input type="hidden" prdthumb" value="{{ $item->prdthumb }}">
 <input type="submit" class="btn btn-success" name="" value="Add To Cart">
 </form>
 prdslug]) }}" class="btn btn-primary"
role="button">See Details
 </p>
</div>
</div>
</div>
@endforeach
<!-- /.col -->
</div>
<div>
 <ol class="breadcrumb">
 Produk Terpopuler

</div>
<!-- /.div -->
<div class="row">
 <div class="btn-group alg-right-pad">
 <button type="button" class="btn btn-default">3005 items</button>
 <div class="btn-group">
 <button type="button" class="btn btn-primary dropdown-toggle" data-
toggle="dropdown">
 Sort Products

 </button>
 <ul class="dropdown-menu">
 By Price Low
 <li class="divider">
 By Price High
 <li class="divider">
 By Popularity
 <li class="divider">
 By Reviews

 </div>
</div>
</div>
<!-- /.row -->
<div class="row">
 <div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>

```



```

 <p>
 Add To Cart
 See Details
 </p>
 </div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart <a href="#"
class="btn btn-primary" role="button">See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart <a href="#"
class="btn btn-primary" role="button">See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
</div>
<!-- /.row -->
<div class="row">
 <ul class="pagination alg-right-pad">
 «
 1
 2
 3
 4
 5
 »

</div>
<!-- /.row -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</div>
<!-- /.container -->
<div class="col-md-12 download-app-box text-center">


```



`<span class="glyphicon glyphicon-download-alt"></span>Download Our Android App and Get 10% additional Off on all Products . <a href="#" class="btn btn-danger btn-lg">DOWNLOAD NOW</a>`

`</div>  
@endsection`

2. Selanjutnya bukalah file CartController yang ada pada folder App\Http\Controllers kemudian tambahkan scripting seperti ini



```

1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use Validator;
7 use Cart;
8 use App\Product;
9
10

```

```

public function store(Request $request)
{
 //
 // cek color
 if($request->color!=Null)
 {
 $color = $request->color;
 }
 else
 {
 $color=Null;
 }

 // cek size
 if($request->prsize!=Null)
 {
 $size = $request->prsize;
 }
 else
 {
 $size=Null;
 }

 // cek qty
 if($request->quantity!=Null)
 {
 $quantity = $request->quantity;
 }
 else
 {
 $quantity=1;
 }
}

```



```
Cart::add($request->id, $request->name, $quantity, $request->price,['prdthumb'=>$request->prdthumb,'color'=>$color,'size' =>$size]->associate('App\Product');

return redirect('cart')->with('sukses','Produk berhasil ditambahkan ke keranjang belanja');
}
```

### 3. Tambahkan scripting pada function index

```
public function index()
{
 //
 // dd(Cart::content());
 return view('shop.cart');
}

// **
```

### 4. Lalu pada file cart.blade.php pada folder view, masukan perintah berikut ini

```
@extends('shop.app')
@section('title')
Checkout Sekarang !
@endsection
@section('content')
<div class="container">
 @if($message = Session::get('sukses'))
 <p class="alert alert-success alert-dismissible fade in"><a href="#"
class="close" data-dismiss="alert" aria-label="close">× {{ $message }}</p>
 @endif
 @if($message = Session::get('gagal'))
 <p class="alert alert-danger alert-dismissible fade in"><a href="#"
class="close" data-dismiss="alert" aria-label="close">× {{ $message }}</p>
 @endif
 @if($message = Session::get('update'))
 <p class="alert alert-success alert-dismissible fade in"><a href="#"
class="close" data-dismiss="alert" aria-label="close">× {{ $message }}</p>
 @endif

 @if(sizeof(Cart::content()) > 0)
 <h2>Keranjang Belanja !</h2>
 <table class="table table-bordered">
 <thead>
 <tr>
 <th>#</th>
 <th>Product Name</th>
 <th>Product Image</th>
 <th>Product Size</th>
 <th>Product Color</th>
 <th>Product Prize</th>
 <th>Product Qty</th>
 <th>Total</th>
 </tr>
 </thead>
 <tbody>
 @foreach(Cart::content() as $scart)
```



```

<tr>
 <td>
 <form method="post" action="{{ url('cart',[$cart->rowId]) }}">
 {{ csrf_field() }}
 <input type="hidden" name="_method" value="DELETE">
 <input type="hidden" size="2" maxlength="2" name="id"
value="{{ $cart->rowId }}">
 <input type="submit" class="btn btn-danger" value="X">
 </form>
 </td>
 <td>
 {{ $cart->name }}
 </td>
 <td></td>
 <td>{{ strtoupper($cart->options->size) }}</td>
 <td>{{ ucfirst($cart->options->color) }}</td>
 <td>{{ $cart->price }}</td>
 <td>
 <form method="post" action="{{ url('cart', [$cart->rowId]) }}">
 {{ csrf_field() }}
 {{ method_field('PATCH') }}
 <input type="number" size="2" maxlength="2"
name="quantity" value="{{ $cart->qty }}">
 <button class="btn btn-warning" type="submit"><i
class="fa fa-refresh"></i></button>
 </form>
 </td>
 <td>{{ $cart->price * $cart->qty }}</td>
</tr>
@endforeach
</tbody>
<tfoot>
 <tr>
 <td colspan="7" align="center"><h4>Subtotal</h4></td>
 <td><h4>{{ Cart::subtotal() }}</h4></td>
 </tr>
</tfoot>
</table>
 <div class="row">
 <div class="text-right">
 Go
Shop
 <button class="btn
btn-primary">Process To Checkout</button>
 </div>
 </div>
 @else
 <h2>Keranjang Belanja Anda Kosong</h2>
 <i class="fa fa-shopping-
cart"></i> Go Shop
 @endif
</div>
@endsection

```



5. Buatlah sebuah routing baru seperti berikut ini

```
1 <?php
2
3 // Toko Controller
4 Route::get('/', 'TokoController@index');
5 Route::get('beli/{id}', 'TokoController@show');
6 Route::resource('cart', 'CartController');
7 Route::resource('checkout', 'CheckoutController');
```

6. Buka file TokoController lalu masukan script berikut ini

```
164 public function show($slug)
165 {
166 //
167 $data = [];
168 $data['product'] = Product::where('prdslug', $slug)->get();
169 return view('shop.single', $data);
170 }
171
```

7. silahkan lengkapi dan buatlah sebuah halaman bernama single.blade.php dengan script berikut ini :

```
@extends('shop.app')
@foreach($product as $r)
@section('title')
Jual {{ $r->prdname }} Murah se-Indonesia gratis ongkir
@endsection
@section('content')
<div class="container">
<!-- /.row -->
<div class="row">
<!-- kategori -->
<div class="col-md-3">
<div>
Electronics

<ul class="list-group">
<li class="list-group-item">Mobile
234

<li class="list-group-item">Computers
34

<li class="list-group-item">Tablets
4

<li class="list-group-item">Appliances
434

<li class="list-group-item">Games & Entertainment
34

</div>
</div>
<!-- /.div -->
</div>
```



```

Clothing & Wears

<ul class="list-group">

 <li class="list-group-item">Men's Clothing
 300

 <li class="list-group-item">Women's Clothing
 340

 <li class="list-group-item">Kid's Wear
 735

</div>
<!-- /.div -->
<div>
 Accessories & Extras

 <ul class="list-group">
 <li class="list-group-item">Mobile Accessories
 456

 <li class="list-group-item">Men's Accessories
 156

 <li class="list-group-item">Women's Accessories
 400

 <li class="list-group-item">Kid's Accessories
 89

 <li class="list-group-item">Home Products
 90

 <li class="list-group-item">Kitchen Products
 567

</div>
<!-- /.div -->
<div>
 <ul class="list-group">
 <li class="list-group-item list-group-item-success">New Offer's Coming

 <li class="list-group-item list-group-item-info">New Products Added
 <li class="list-group-item list-group-item-warning">Ending Soon
Offers
 <li class="list-group-item list-group-item-danger">Just Ended Offers

</div>
<!-- /.div -->
<div class="well well-lg offer-box offer-colors">

 25 % off , GRAB IT

 <div class="progress progress-striped">
 <div class="progress-bar progress-bar-danger" role="progressbar" aria-valuenow="70"
aria-valuemin="0" aria-valuemax="100"
 style="width: 70%">
 70% Complete (success)
 2hr 35 mins left
 </div>
 </div>

```





```

 </div>
 click here to know more
 </div>
 <!-- /.div -->
</div>
<!-- end kategori -->
<!-- /.col -->
<div class="col-md-9">
 <div>
 <ol class="breadcrumb">
 Home
 <li class="active">Electronics
 <i>{{ $r->prdname }}</i>

 </div>
 <!-- /.row -->
 <div class="row">
 <div class="col-xs-4 item-photo">

 </div>
 <form action="{{url('cart')}}" method="post">
 {{ csrf_field() }}

 <input type="hidden" name="id" value="{{ $r->id }}">
 <input type="hidden" name="name" value="{{ $r->
>prdname }}">
 <input type="hidden" name="price" value="{{ $r->
>prdprice }}">
 <input type="hidden" name="thumb" value="{{ $r->
>prdthumb }}">
 <div class="col-xs-5" style="border:0px solid gray">
 <!-- Datos del vendedor y titulo del producto -->
 <h3>{{ $r->prdname }}</h3>
 <h5 style="color:#337ab7">vendido por <small
style="color:#337ab7">(5054 ventas)</small></h5>

 <!-- Precios -->
 <h6 class="title-price"><small>Harga normal</small>{{ $r->prdprice }}</h6>
 <h3 style="margin-top:0px;">Rp.{{number_format($r->prdprice,2)}}</h3>

 <!-- Detalles especificos del producto -->
 <div class="section">
 <h6 class="title-attr" style="margin-top:15px;"><small>COLOR</small></h6>
 <div>
 <label class="ctr">Biru

 <input type="checkbox" value="biru"

 </label>
 <label class="ctr">Merah Muda
 <input type="checkbox" value="pink"

 </label>

 <div>
 <div>
 <div class="section" style="padding-bottom:5px;">
 <h6 class="title-attr"><small>Size</small></h6>
 <div>
 <select name="prdsiz" class="attr2">
 <option value=""></option>
 <option value="s">S</option>
 <option value="m">M</option>
 <option value="l">L</option>
 <option value="xl">XL</option>
 </select>
 </div>
 </div>
 </div>
 </div>
 </div>
 </div>
 </div>
 </div>

```



```

<div class="section" style="padding-bottom:20px;">
 <h6 class="title-attr"><small>Qty</small></h6>
 <div>
 <input name="quantity" required="">
 </div>
</div>

<!-- Botones de compra -->
<div class="section" style="padding-bottom:20px;">
 <button class="btn btn-success"> Add to cart</button>
</div>
</div>
</form>
<div class="col-xs-9">
 <ul class="menu-items">
 <li class="active">Detalle del producto
 Garantía
 Vendedor
 Envío

 <div style="width:100%;border-top:1px solid silver">
 <p style="padding:15px;">
 <small>
 Stay connected either on the phone or the Web with the Galaxy S4 I337 from Samsung. With 16 GB of memory and a 4G connection, this phone stores precious photos and video and lets you upload them to a cloud or social network at blinding-fast speed. With a 17-hour operating life from one charge, this phone allows you keep in touch even on the go.

 With its built-in photo editor, the Galaxy S4 allows you to edit photos with the touch of a finger, eliminating extraneous background items. Usable with most carriers, this smartphone is the perfect companion for work or entertainment.
 </small>
 </p>
 <small>

 Super AMOLED capacitive touchscreen display with 16M colors
 Available on GSM, AT T, T-Mobile and other carriers
 Compatible with GSM 850 / 900 / 1800; HSDPA 850 / 1900 / 2100 LTE; 700 MHz Class 17 / 1700 / 2100 networks
 MicroUSB and USB connectivity
 Interfaces with Wi-Fi 802.11 a/b/g/n/ac, dual band and Bluetooth
 Wi-Fi hotspot to keep other devices online when a connection is not available
 SMS, MMS, email, Push Mail, IM and RSS messaging
 Front-facing camera features autofocus, an LED flash, dual video call capability and a sharp 4128 x 3096 pixel picture
 Features 16 GB memory and 2 GB RAM
 Upgradeable Jelly Bean v4.2.2 to Jelly Bean v4.3 Android OS
 17 hours of talk time, 350 hours standby time on one charge
 Available in white or black
 Model I337
 Package includes phone, charger, battery and user manual
 Phone is 5.38 inches high x 2.75 inches wide x 0.13 inches deep and weighs a mere 4.59 oz

 </small>
 </div>
</div>
</div>
<div class="row">
 <h2>Produk Lainnya</h2>
</div>
<!-- /.row -->
<div class="row">
 <div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

```



```


<div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>
 Add To Cart
 See Details
 </p>
</div>
</div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
<div class="col-md-4 text-center col-sm-6 col-xs-6">
 <div class="thumbnail product-box">

 <div class="caption">
 <h3>Samsung Galaxy </h3>
 <p>Price : $ 3,45,900 </p>
 <p>Ptional dismiss button </p>
 <p>Ptional dismiss button in tional dismiss button in </p>
 <p>Add To Cart See Details</p>
 </div>
 </div>
</div>
<!-- /.col -->
</div>
<!-- /.row -->
<div class="row">
 <ul class="pagination alg-right-pad">
 «
 1
 2
 3
 4
 5
 »

</div>
<!-- /.row -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</div>
@endsection
@endforeach

```



8. Terakhir, rubah script yang ada pada controller cart pada function store seperti berikut ini

```
public function store(Request $request)
{
 //
 // cek color
 if($request->color!=Null)
 {
 $color = $request->color;
 }
 else
 {
 $color=Null;
 }

 // cek size
 if($request->prdsiz!=Null)
 {
 $size = $request->prdsiz;
 }
 else
 {
 $size=Null;
 }

 // cek qty
 if($request->quantity!=Null)
 {
 $quantity = $request->quantity;
 }
 else
 {
 $quantity=1;
 }

 Cart::add($request->id, $request->name, $quantity, $request->price,['prdthumb'=>$request->prdthumb,'color'=>$color,'size' =>$size]->associate('App\Product');

 return redirect('cart')->with('sukses','Produk berhasil ditambahkan ke keranjang belanja');
}
```

## Membuat Update dan Remove Cart

### 1. Bukalah file cart.blade.php

```
@extends('shop.app')
@section('title')
Checkout Sekarang !
@endsection

@section('content')

Laravel Basic to Advance (E-commerce Project)

Page: 27


```

```

@if($message = Session::get('gagal'))
<p class="alert alert-danger alert-dismissible fade in"><a href="#" class="close" data-
dismiss="alert" aria-label="close">× {{ $message }}</p>
@endif
@if($message = Session::get('update'))
<p class="alert alert-success alert-dismissible fade in"><a href="#" class="close" data-
dismiss="alert" aria-label="close">× {{ $message }}</p>
@endif

@if(sizeof(Cart::content()) > 0)
<h2>Keranjang Belanja !</h2>
<table class="table table-bordered">
<thead>
<tr>
<th>#</th>
<th>Product Name</th>
<th>Product Image</th>
<th>Product Size</th>
<th>Product Color</th>
<th>Product Prize</th>
<th>Product Qty</th>
<th>Total</th>
</tr>
</thead>
<tbody>
@foreach(Cart::content() as $cart)
<tr>
<td>
<form method="post" action="{{ url('cart',[$cart->rowId]) }}">
{{ csrf_field() }}
<input type="hidden" name="_method" value="DELETE">
<input type="hidden" size="2" maxlength="2" name="id" value="{{ $cart-
>rowId }}">
<input type="submit" class="btn btn-danger" value="X">
</form>
</td>
<td>
{{ $cart->name }}
</td>
<td></td>
<td>{{ strtoupper($cart->options->size) }}</td>
<td>{{ ucfirst($cart->options->color) }}</td>
<td>{{ $cart->price }}</td>
<td>
<form method="post" action="{{ url('cart', [$cart->rowId]) }}">
{{ csrf_field() }}
{{ method_field('PATCH') }}
<input type="number" size="2" maxlength="2" name="quantity"
value="{{ $cart->qty }}">
<button class="btn btn-warning" type="submit"><i class="fa fa-
refresh"></i></button>
</form>
</td>
<td>{{ $cart->price * $cart->qty }}</td>
</tr>
@endforeach
</tbody>
<tfoot>
<tr>
<td colspan="7">
<td colspan="7" align="center"><h4>Subtotal</h4></td>
<td colspan="7">{{ Cart::subtotal() }}</td>
</tr>

```



```

 </tfoot>
 </table>

 <div class="row">
 <div class="text-right">
 Go Shop
 <button class="btn btn-
primary">Process To Checkout</button>
 </div>
 </div>

 @else
 <h2>Keranjang Belanja Anda Kosong</h2>
 <i class="fa fa-shopping-cart"></i> Go Shop
 @endif
</div>
@endsection

```

2. Lalu buka controllernya yang ada pada file cart controller, tambahkan script berikut ini pada function update

```

public function update(Request $request, $id)
{
 //
 $validasi = Validator::make($request->all(), [
 'quantity' => 'required|numeric|between:1,5'
]);

 if($validasi->fails())
 {
 return redirect('cart')->with('gagal', 'Minimal quantity 1 dan Maksimal 5');
 }

 Cart::update($id, $request->quantity);
 return redirect('cart')->with('update', 'quantity berhasil diupdate!');
}

```

3. Membuat Delete item

Tambahkan script berikut ini pada function destroy

```

public function destroy($id)
{
 //
 // dd($id);
 Cart::remove($id);
 return redirect('cart')->with('gagal', 'Produk dihapus dari keranjang belanja');
}

```

## Membuat Auth Login

1. Membuat Routing Baru

Route::resource('checkout', 'CheckoutController');



## 2.Membuat CheckoutController

<?php

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
use App\Order;
use App\Order_detail;
use Cart;
use Auth;
use App\AccountBank;
```

```
class CheckoutController extends Controller
```

```
{
 /**
 * Display a listing of the resource.
 *
 * @return \Illuminate\Http\Response
 */

 public function __construct()
 {
 $this->middleware('auth');
 }

 public function index()
 {
 //
 $data = [];
 $data['akunbank'] = AccountBank::all();
 return view('shop.checkout',$data);
 }

 /**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
 public function create()
 {
 //
 }

 /**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
 public function store(Request $request)
 {
 //
 //dd(Cart::content());
 $orderid = Order::create([
 'ordersidencyp' => substr(bcrypt(1), 13,17),
 'usersid' => Auth::user()->id,
 'ordfullname' => $request->ordfullname,
 'ordmail' => $request->ordmail,
 'ordnohp' => $request->ordnohp,
 'ordalamat' => $request->ordalamat,
 'ordkota' => $request->ordkota,
 'ordprovinsi' => $request->ordprovinsi,
```



```

 'ordbyr' => Cart::subtotal(),
 'ordstatus' => "N",
 'ordmethod' => $request->ordmethod,
 'banktf' => $request->banktf,
));

 foreach(Cart::content() as $item)
 {
 if($item->options->color!=Null)
 {
 $color = $item->options->color;
 }
 else
 $color="Null";

 if($item->options->size!=Null)
 {
 $size = $item->options->size;
 }
 else
 {
 $size="Null";
 }
 Order_detail::create([
 'ordersid' => $orderid->id,
 'prdid' => $item->id,
 'qty' => $item->qty,
 'warna' => $color,
 'size' => $size,
]);
 }

 Cart::destroy();

 return redirect('thanks')->with('sukses','Terimakasih Sudah Belanja di Toko Kami!');

}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
 //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
 //
}

/**
 * Update the specified resource in storage.

```





```

*
* @param \Illuminate\Http\Request $request
* @param int $id
* @return \Illuminate\Http\Response
*/
public function update(Request $request, $id)
{
 //
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
 //
}
}

```

## Checkout Save to Database

Kita akan menyimpan data yang ada didalam keranjang belanja kita menggunakan perintah pada controller

### Checkout

**Nama Lengkap**


**E-mail**

**No.Hp**


**Alamat**

**Kota**


**Provinsi**



**Your Order**

| Product Name    | Product Image                                                                        | Product Size | Product Color | Product Price | Product Qty | Product Total     |
|-----------------|--------------------------------------------------------------------------------------|--------------|---------------|---------------|-------------|-------------------|
| Baju Tidur Anak |  |              |               | 150000        | 1           | 150000            |
| <b>Subtotal</b> |                                                                                      |              |               |               |             | <b>150,000.00</b> |

Double-click to go




Ini merupakan tampilan halaman checkout.

Berikut ini langkah-langkahnya

Pertama, buatlah sebuah model baru beserta migrationnya bernama Order atau dengan mengetikkan pada command prompt seperti tertera pada gambar dibawah ini :





Kedua, ubahlah file migration dari model order yang ada pada folder database->migration, menjadi seperti berikut ini :

```
public function up()
{
 Schema::create('orders', function (Blueprint $table) {
 $table->increments('id');
 $table->char('ordersidencype');
 $table->integer('usersid');
 $table->char('ordfullname',60);
 $table->char('ordmail',30);
 $table->char('ordnohp',13);
 $table->char('ordalamat');
 $table->char('ordkota',25);
 $table->char('ordprovinsi',20);
 $table->char('ordbyr',15);
 $table->char('ordstatus',2);
 $table->char('ordmethod',3);
 $table->timestamps();
 });
}
```

Ubah hanya pada bagian function up() nya saja ya.

Ketiga, tambahkan script berikut ini pada model Order yang ada di folder App

```
class Order extends Model
{
 protected $fillable
 =['ordersidencype', 'usersid', 'ordfullname', 'ordmail', 'ordnohp', 'ordalamat', 'ordkota', 'ordprovinsi', 'ordbyr', 'ordstatus', 'ordmethod', 'banktf'];
}
```

Keempat, bukalah file checkout.blade.php yang ada di dalam folder view dan masukan script berikut ini :

```
@extends('shop.app')
```



```

@section('title')
Satu Langkah Lagi
@endsection
@section('content')
<div class="container">
 <h1 class="text-center">Checkout</h1>
 <form method="post" action="{{ url('checkout') }}">
 {{ csrf_field() }}
 <div class="row">
 <div class="col-md-7">
 <div class="form-group">
 <label>Nama Lengkap</label>
 <input type="text" name="ordfullname" class="form-control"
value="{{ Auth::user()->name }}" required="">
 </div>
 <div class="form-group">
 <label>E-mail</label>
 <input type="text" name="ordmail" class="form-control" value="{{
Auth::user()->email }}" required="">
 </div>
 <div class="form-group">
 <label>No.Hp</label>
 <input type="text" name="ordnohp" class="form-control"
required="">
 </div>
 <div class="form-group">
 <label>Alamat</label>
 <textarea class="form-control" name="ordalamat"
required=""></textarea>
 </div>
 <div class="form-group">
 <label>Kota</label>
 <input type="text" name="ordkota" class="form-control"
required="">
 </div>
 <div class="form-group">
 <label>Provinsi</label>
 <input type="text" name="ordprovinsi" class="form-control"
required="">
 </div>
 <div class="form-group">
 <label>Pilih Bank Transfer</label>
 <select name="banktf" class="form-control" required="">
 <option value="">Pilih Bank</option>
 @foreach($akunbank as $akun)
 <option value="{{ $akun->id }}">{{ $akun-
>nmbank }}</option>
 @endforeach
 </select>
 </div>
 <div class="form-group">
 <input type="hidden" name="ordmethod" value="TF">
 <input type="submit" name="save" class="btn btn-primary"
value="Process Checkout">
 </div>
 </div>
 <div class="col-md-5">

```



```

<div class="form-group">
 <label>Your Order</label>
 <table class="table table-bordered">
 <thead>
 <tr>
 <th>Product Name</th>
 <th>Product Image</th>
 <th>Product Size</th>
 <th>Product Color</th>
 <th>Product Prize</th>
 <th>Product Qty</th>
 <th>Total</th>
 </tr>
 </thead>
 <tbody>
 @foreach(Cart::content() as $cart)
 <tr>
 <td>
 {{ $cart->name }}
 </td>
 <td></td>
 <td>{{ strtoupper($cart->options->size) }}</td>
 <td>{{ ucfirst($cart->options->color) }}</td>
 <td>{{ $cart->price }}</td>
 <td>{{ $cart->qty }}</td>
 <td>{{ $cart->price * $cart->qty }}</td>
 </tr>
 @endforeach
 </tbody>
 <tfoot>
 <tr>
 <td colspan="6">
 align="center"><h4>Subtotal</h4></td>
 <td><h4>{{ Cart::subtotal() }}</h4></td>
 </tr>
 </tfoot>
 </table>
</div>
</div>
</div>
</form>
</div>
@endsection

```

Kelima, buatlah kembali sebuah model beserta migrationnya dengan nama Order\_detail atau ketikkan script berikut ini pada command prompt :

**Php artisan make:model Order\_detail -m**

Keenam, rubahlah file migrationnya pada function up menjadi seperti ini :

```

public function up()
{
 Schema::create('order_details', function (Blueprint $table) {
 $table->increments('id');
 $table->integer('ordersid');
 $table->char('prdidd');
 });
}

```



```

 $table->integer('qty');
 $table->char('warna');
 $table->char('size');
 $table->timestamps();
 });
}

```

Ketujuh, lalu pada modelnya pula dirubah menjadi seperti berikut ini :

```
class Order_detail extends Model
```

```

{
 //
 protected $fillable=['ordersid','prdid','qty','warna','size'];
}

```

Kedelapan, jika sudah silahkan ketikan kembali pada command prompt seperti dibawah ini :

```
Php artisan make migrate
```

Jika sudah lalu tekan enter.

Kesembilan, ubahlah file controller yang bernama CheckoutController seperti berikut ini :

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
```

```
use App\Order;
```

```
use App\Order_detail;
```

```
use Cart;
```

```
use Auth;
```

```
use App\AccountBank;
```

```
class CheckoutController extends Controller
```

```

{
 /**
 * Display a listing of the resource.
 *
 * @return \Illuminate\Http\Response
 */

```

```
public function __construct()
```

```

{
 $this->middleware('auth');
}

```

```
public function index()
```

```

{
 //
 $data = [];
 $data['akunbank'] = AccountBank::all();
 return view('shop.checkout',$data);
}

```



```

}

/**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function create()
{
 //
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
 //
 //dd(Cart::content());
 $orderid = Order::create([
 'ordersidencytpe' => substr(bcrypt(1), 13, 17),
 'usersid' => Auth::user()->id,
 'ordfullname' => $request->ordfullname,
 'ordmail' => $request->ordmail,
 'ordnohp' => $request->ordnohp,
 'ordalamat' => $request->ordalamat,
 'ordkota' => $request->ordkota,
 'ordprovinsi' => $request->ordprovinsi,
 'ordbyr' => Cart::subtotal(),
 'ordstatus' => "N",
 'ordmethod' => $request->ordmethod,
 'banktf' => $request->banktf,
]);

 foreach(Cart::content() as $item)
 {
 if($item->options->color!=Null)
 {
 $color = $item->options->color;
 }
 else
 $color="Null";

 if($item->options->size!=Null)

```



```

 {
 $size = $item->options->size;
 }
 else
 {
 $size="Null";
 }
 Order_detail::create([
 'ordersid' => $orderid->id,
 'prdid' => $item->id,
 'qty' => $item->qty,
 'warna' => $color,
 'size' => $size,
]);
 }

 Cart::destroy();

 return redirect('thanks')->with('sukses','Terimakasih Sudah Belanja di Toko Kami!');

}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
 //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
 //
}

/**
 * Update the specified resource in storage.

```



```

*
* @param \Illuminate\Http\Request $request
* @param int $id
* @return \Illuminate\Http\Response
*/
public function update(Request $request, $id)
{
 //
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
 //
}
}

```

Kesepuluh, jika sudah buatlah sebuah file baru bernama thanks.blade.php pada folder resource view dengan script seperti ini :

```

@extends('shop.app')
@section('title')
Terimakasih
@endsection
@section('content')
<div class="container">
 <div class="row">
 @if($message = Session::get('sukses'))
 <p class="alert alert-success alert-dismissible fade in"><a href="#"
class="close" data-dismiss="alert" aria-label="close">× {{ $message }}</p>
 @endif
 </div>
</div>
@endsection

```

Dan jangan lupa routes nya seperti ini :





```

1 <?php
2
3 // Toko Controller
4 Route::get('/', 'TokoController@index');
5 Route::get('beli/{id}', 'TokoController@show');
6 Route::resource('cart', 'CartController');
7 Route::resource('checkout', 'CheckoutController');
8 Route::resource('myaccount', 'AccountController');
9 Route::post('jne', 'TokoController@store');
10 Route::get('thanks', 'TokoController@thanks');
11 Route::get('toko', 'TokoController@product');
12 Route::get('toko/kategori/{id}', 'TokoController@catshow');
13 Route::get('konfirmasi_pembayaran', 'AccountController@confirm');
14 Route::post('konfirmasi_pembayaran', 'AccountController@store');
15 Route::auth();
16
17 // Admin Controller
18 Route::get('cms/product', 'AdminController@product');
19 Route::get('cms/pesanan', 'AdminController@pesanan');
20 Route::get('cms/pesanan/{id}/{userid}', 'AdminController@detailpesanan');
21 Route::post('cms/pesanan/confirm', 'AdminController@confirmpesanan');
22 Route::resource('cms', 'AdminController');

```

## Membuat Dashboard user

Pastikan routes anda sudah seperti ini

```

1 <?php
2
3 // Toko Controller
4 Route::get('/', 'TokoController@index');
5 Route::get('beli/{id}', 'TokoController@show');
6 Route::resource('cart', 'CartController');
7 Route::resource('checkout', 'CheckoutController');
8 Route::resource('myaccount', 'AccountController');
9 Route::post('jne', 'TokoController@store');
10 Route::get('thanks', 'TokoController@thanks');
11 Route::get('toko', 'TokoController@product');
12 Route::get('toko/kategori/{id}', 'TokoController@catshow');
13 Route::get('konfirmasi_pembayaran', 'AccountController@confirm');
14 Route::post('konfirmasi_pembayaran', 'AccountController@store');
15 Route::auth();
16
17 // Admin Controller
18 Route::get('cms/product', 'AdminController@product');
19 Route::get('cms/pesanan', 'AdminController@pesanan');
20 Route::get('cms/pesanan/{id}/{userid}', 'AdminController@detailpesanan');
21 Route::post('cms/pesanan/confirm', 'AdminController@confirmpesanan');
22 Route::resource('cms', 'AdminController');

```

Langkahnya yang pertama adalah buatlah sebuah controller bernama Accountcontroller lalu ketikkan script berikut ini pada controller tersebut :



```
<?php
```

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
```

```
use App\Order;
```

```
use App\Order_detail;
```

```
use Auth;
```

```
use App\ConfirmPayment;
```

```
use App\AccountBank;
```

```
class AccountController extends Controller
```

```
{
```

```
/**
```

```
 * Display a listing of the resource.
```

```
 *
```

```
 * @return \Illuminate\Http\Response
```

```
 */
```

```
public function index()
```

```
{
```

```
 //
```

```
 $data = [];
```

```
 $data['page'] = "Dashboard";
```

```
 $data['no'] = 1;
```

```
 $data['orders'] = Order::where('usersid',Auth::user()->id)->orderBy('created_at','DESC')-
```

```
>get();
```

```
 return view('shop.user.dashboard',$data);
```

```
}
```

```
/**
```

```
 * Show the form for creating a new resource.
```

```
 *
```

```
 * @return \Illuminate\Http\Response
```

```
 */
```

```
public function create()
```

```
{
```

```
 //
```

```
}
```

```
public function confirm()
```

```
{
```

```
 //
```

```
 $data = [];
```

```
 $data['page'] = "Konfirmasi Pembayaran";
```

```
 $data['orders'] = Order::where('usersid',Auth::user()->id)-
```

```
>orderBy('created_at','DESC')->get();
```



```

 $data['rbayar'] = ConfirmPayment::where('usersid',Auth::user()->id)->get();
 return view('shop.user.confirm',$data);
 }

 /**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
 public function store(Request $request)
 {
 //
 if($request->catatan!=Null)
 {
 $catatan = $request->catatan;
 }
 else
 {
 $catatan="Null";
 }

 $buktiname = request()->buktifile->getClientOriginalName();
 request()->buktifile->move(public_path('bukti'),$buktiname);

 ConfirmPayment::create([
 'notagihan' => $request->notagihan,
 'nominal' => $request->jmltf,
 'nmpengirim' => $request->nmpengirim,
 'buktifile' => $buktiname,
 'catatan' => $catatan,
 'usersid' => Auth::user()->id,
 'status' => "N",
]);

 return redirect('konfirmasi_pembayaran')->with('sukses','Konfirmasi Pembayaran
 berhasil di disimpan');

 }

 /**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
 public function show($id)

```



```

{
 // menampilkan invoices detail
 $data = [];
 $data['user'] = Order::where('usersid',Auth::user()->id)->where('id',$id)->get();
 $data['orders'] = Order_detail::join('products','products.id','=','order_details.prdid')-
>where('order_details.ordersid',$id)->get();
 // dd($data['orders']);
 $data['akunbank'] = AccountBank::all();
 return view('shop.invoices',$data);
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
 //
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
 //
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
 //
}
}

```

**Kedua**, buatlah sebuah halaman baru pada folder resource view user , beri nama filenya dashbard.blade.php lalu masukan script berikut ini :



```
@extends('shop.myaccount')
@section('title')
Dashboard User
@endsection
@section('contentuser')
```

```

<table class="table">
 <thead>
 <tr>
 <th>No</th>
 <th>ID Pesanan</th>
 <th>Tagihan</th>
 <th>Tanggal</th>
 <th>Status Pesanan</th>
 <th>Invoices</th>
 </tr>
 </thead>
 <tbody>
 @foreach($orders as $item)
 <tr>
 <td>{{ $no++ }}</td>
 <td>{{ $item->
>ordersidencype}}</td>
 <td>{{ $item->ordbyr }}</td>
 <td>{{ $item->created_at }}</td>
 <td>
 @if($item->ordstatus=="N")
 <span class="label label-
danger">Belum Dikonfirmasi
 @else
 <span class="label label-
success">Dikonfirmasi
 @endif
 </td>
 <td><a href="{{{
url('myaccount',[$item->id]) }}" target="_blank">views</td>
 </tr>
 @endforeach
 </tbody>
</table>

@endsection
```



## Membuat Invoices

Langkah untuk membuat invoices adalah dengan membuat file baru bernama invoices.blade.php pada folder views->shop.

Kemudian masukan script berikut ini :

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta name="description" content="">
 <meta name="author" content="">
 <title>Invoices</title>
 <!-- Bootstrap core CSS -->
 <link href="{{url('shopnew')}}/assets/css/bootstrap.css" rel="stylesheet">
 <!-- Fontawesome core CSS -->
 <link href="{{url('shopnew')}}/assets/css/font-awesome.min.css" rel="stylesheet" />
 <!--GOOGLE FONT -->
 <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'
type='text/css'>
 <!--Slide Show Css -->
 <link href="{{url('shopnew')}}/assets/ItemSlider/css/main-style.css" rel="stylesheet" />
 <!-- custom CSS here -->
 <link href="{{url('shopnew')}}/assets/css/style.css" rel="stylesheet" />
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.5.0/css/all.css"
integrity="sha384-
B4dIYHKNBt8Bc12p+WXckhzcICo0wtJAoU8YZTY5qE0Id1GSseTk6S+L3BlXeVIU"
crossorigin="anonymous">
</head>
<body>
@foreach($user as $us)
<div class="container">
 <div class="row">
 <div class="col-xs-12">
 <div class="invoice-title">
 <h2>Invoice</h2><h3 class="pull-right">Order # INV111800{{$us->id}}
</h3>
 </div>
 <hr>
 <div class="row">
 <div class="col-xs-6">
 <address>
 Tagihan Untuk :

 {{$us->ordfullname}}

 {{$us->ordnohp}}

 {{$us->ordalamat}}

 {{$us->ordkota}}

 {{$us->ordprovinsi}}
 </div>
 </div>
 </div>
 </div>
 </div>
</div>
</body>
</html>
```



```

 </address>
 </div>
 <div class="col-xs-6 text-right">
 <address>
 Dikirim Ke:

 {{ $us->ordfullname }}

 {{ $us->ordnohp }}

 {{ $us->ordalamat }}

 {{ $us->ordkota }}

 {{ $us->ordprovinsi }}
 </address>
 </div>
</div>
<div class="row">
 <div class="col-xs-6">
 <address>
 Payment Method: Transfer
Bank

 @foreach($akunbank as $akun)
 @if($us->banktf == $akun->id)
 {{ $akun->nmbank }}
 {{ $akun->norek }}
 @endif
 @endforeach
 </address>
 </div>
 <div class="col-xs-6 text-right">
 <address>
 Order Date:

 {{ $us->created_at }}

 </address>
 </div>
</div>
</div>
<div class="row">
 <div class="col-md-12">
 <div class="panel panel-default">
 <div class="panel-heading">
 <h3 class="panel-title">Order
summary</h3>
 </div>
 <div class="panel-body">
 <div class="table-responsive">
 <table class="table table-condensed">
 <thead>

```



Page: 47



**babastudio.com**  
WEB CONSULTANT & TRAINING

## Membuat upload konfirmasi pembayaran

Langkah-langkahnya adalah :

**Pertama**, buatlah sebuah model baru bernama ConfirmPayment beserta file migrationnya

**Kedua**, ubahlah script pada file migration confirm payment tersebut menjadi seperti ini :

```
public function up()
{
 Schema::create('confirm_payments', function (Blueprint $table) {
 $table->increments('id');
 $table->char('notagihan');
 $table->char('nominal');
 $table->char('nmpengirim',70);
 $table->char('buktifile',100);
 $table->char('catatan')->nullable();
 $table->char('usersid',5);
 $table->char('status',2);
 $table->timestamps();
 });
}
```

**Ketiga**, ubah juga pada modelnya menjadi seperti ini :

```
class ConfirmPayment extends Model
{
 //
 protected $fillable =
['notagihan','nominal','nmpengirim','buktifile','catatan','usersid','status'];
}
```

**Keempat**, silahkan ketikan pada command prompt *php artisan make migrate* untuk melakukan migrasi

**Kelima**, buatlah sebuah file confirm.blade.php pada folder user yang ada didalam views dengan script seperti berikut ini :

```
@extends('shop.myaccount')
@section('title')
Konfirmasi Pembayaran
@endsection
@section('contentuser')
<div class="col-md-6">
 <form class="form-group" method="post" action="{{url('konfirmasi_pembayaran')}}">
 enctype="multipart/form-data">
 {{ csrf_field() }}
 <div class="form-group">
 <label>No. Tagihan</label>
 <select name="notagihan" class="form-control" required="">
 <option value="">Pilih No. Tagihan</option>
 @foreach($orders as $item)
 <option value="{{ $item->id }}">INV111800{{ $item->id }} [Rp.{{
$item->ordbyr}}]</option>
 @endforeach
 </select>
```



```

 </div>
 <div class="form-group">
 <label>Nominal</label>
 <input type="text" name="jmltf" class="form-control" required="">
 </div>
 <div class="form-group">
 <label>Nama Pengirim</label>
 <input type="text" name="nmpengirim" class="form-control"
required="">
 </div>
 <div class="form-group">
 <label>Bukti Transfer</label>
 <input type="file" name="buktifile" required="" class="form-control">
 </div>
 <div class="form-group">
 <label>Catatan (optional)</label>
 <textarea class="form-control" name="catatan"></textarea>
 </div>
 <div class="form-group">
 <label></label>
 <input type="submit" name="save" class="btn btn-success"
value="Simpan">
 </div>
</form>
</div>
<div class="col-md-6">
 @if($message = Session::get('sukses'))
 <p class="alert alert-success alert-dismissible fade in"><a href="#"
class="close" data-dismiss="alert" aria-label="close">× {{ $message }}</p>
 @endif
 <table class="table">
 <thead>
 <tr>
 <th>#</th>
 <th>Nominal</th>
 <th>Status</th>
 </tr>
 </thead>
 <tbody>
 @foreach($rbayar as $r)
 <tr>
 <td>INV111800{{ $r->notagihan }}</td>
 <td>{{ $r->nominal }}</td>
 <td>
 @if($r->status=="N")
 Unpaid
 @else

```



```
 Paid
 @endif
 </td>
 </tr>
@endforeach
</tbody>
</table>
</div>
@endsection
```

Jika sudah, silahkan dijalankan.

